



**06.**

**LET ME  
INTRODUCE YOU..**

**POZWÓL, ŻE CI PRZEDSTAWIĘ..**

# FLAT ROOF WINDOWS TYPE F

LET ME  
INTRODUCE YOU..






- + energy-efficient construction
- + special design
- + sleek modern look
- + high security (the highest impact resistance class)
- + very good window U-value ( $U_w=0,7\text{ W/m}^2\text{K}$  for D\_F DU6\*)
- + perfect acoustic insulation  $L_{IA}=36$  [dB]
- + available in any size from 60 x 60 cm to 120 x 220 cm
- + a wide range of colours in accordance with the RAL Classic Palette in Colourline version


*\*Passive, triple-glazed with a whole window U-value of  $0.64\text{ W/m}^2\text{K}$*



# FLAT ROOF WINDOWS TYPE F



# FLAT ROOF WINDOWS TYPE F



for more information visit: <http://www.fakro.com/architects/>

# OKNO DO DACHÓW PŁASKICH TYP F

# OKNO DO DACHÓW PŁASKICH TYP F

POZWÓL,  
ŻE CI PRZEDSTAWIĘ...



- + energooszczędną konstrukcję
- + wyjątkowy design
- + nowoczesny wygląd
- + wysokie bezpieczeństwo (najwyższa klasa odporności na uderzenie)
- + bardzo dobre parametry termoizolacyjne ( $U_w=0,7 \text{ W/m}^2\text{K}$  dla D\_F DU6\*)
- + doskonałą izolacyjność akustyczną  $L_{IA}=36 \text{ [dB]}$
- + dostępność w dowolnym rozmiarze z zakresu od 60 x 60 cm do 120 x 220 cm
- + szeroki wybór barw spośród palety RAL Classic w wersji Colourline

\*dla czteroszybowego pakietu DU8 współczynnik przenikania ciepła dla całego okna  $U_w=0,64 \text{ W/m}^2\text{K}$

więcej informacji na stronie: <http://www.fakro.pl/architekci/>

dedykowane **DLA DACHÓW**  
o kącie nachylenia od 2 do 15 stopni

